


CONTINUOUS DEALCOHOLIZATION COLUMN C16



TECHNICAL DATA

Raw material to be treated in 24 hours (destemmed and grinded grapes or wine lees supposed at 10°GL)	t.	40-50
Consumption of 0,5 bar steam	kg/h	800/1000
Condensation water	l/h	3000/5000
Average alcoholic degree of the product (phlegmas)	°GL	25/50
Residual alcoholic degree Max traces	°GL	0,1
Installed electric power	kW	9
<u>Sizes</u>		
♦ Lenght	m	5
♦ Width	m	2
♦ Height	m	12
Net weight about	kg	2500